



AA80

Lever Action Flush Bolts

11mm Ø shoot

Dimensions: 150mm x 20mm


Variations

AA81 202mm x 20m

Finishes: PB - CP - SN

AA810 254mm x 20mm

AA812 305mm x 20mm



AA79

Sunk Slide Flush Bolt

8mm Ø shoot

Dimensions: 102mm x 17mm




AA813

Flush Bolt Socket

13mm slot size

Dimensions: 64mm x 20mm



AQ46

Dust Excluding Socket for Flush Bolts

Wood

Finishes: PB - CP

Dimensions: 45mm Ø Hole size 12mm



AQ46



AQ47


AQ47

Dust Excluding Socket for Flush Bolts

Concrete

Finishes: PB - CP - SC

Dimensions: 25mm Ø Hole size 12mm




PB 
CP 

BR35

Bathroom Indicator Bolt

Dimensions: 64mm x 38mm



PB 
CP 

AA34

Security Bolt with Turn

Dimensions: 57mm x 20mm






PB 
CP 

AA35

Indicator Bolt with Emergency Release

Dimensions: 57mm x 20mm



EB 
CP 

DSB33

Security Door Bolt Pack

Includes key

Dimensions: length 60mm
centres: 32mm

Variations

- DSB8225L** Door Security Bolt - 57mm centres
- DSB8225** Without Key
- DSK8000** Key Only

NOTES:

BR35 ALUMINIUM VERSION ALSO AVAILABLE

ACCESSORIES




DB8

Dutch Door Bolt

Dimensions: 202mm
c/w 3 Keeps for various applications

Variations

- DB12 305mm
- DB18 508mm
- DB24 610mm



OD8

Architectural Surface Bolt

c/w 3 Keeps for various applications

Finishes: PB - CP



Dimensions: 202mm

Variations

- OD12 305mm

Finish: PB

- OD18 508mm
- OD24 610mm





AQ82EX

Surface Bolt

c/w 3 Keeps for various applications

Dimensions: 150mm Extended Bolt



AQ82

Surface Bolt

c/w 3 Keeps for various applications

Dimensions: 150mm Bolt



Variations

- AQ81** 102mm
- AQ83** 202mm
- AQ84** 254mm

BL4

Nickel Plate Bathroom Lock

Dimensions: 76mm

Variations



BL2 Nickel Plated Forend 64mm

Finishes: EB, FB

BL1 Electro Brassed Forend 64mm

BL3 Electro Brassed Forend 76mm

 NP

 EB
 FB



TL4

Tubular Latch

Rebate Set TL7A available
Nickel Plated Forend

Dimensions: 76mm

Variations

STL4 Super Latch with Extra Spring 76mm

TL2 Tubular Mortice Latch
Nickel Plated Forend 64mm

STL2 Super Latch with Extra Spring 64mm

Finishes: EB, FB, PCB

TL1 Electro Brassed Forend 64mm

TL3 Electro Brassed Forend 76mm

Finishes: EB

STL1 Super Latch with Extra Spring 64mm

STL3 Super Latch with Extra Spring 76mm

 NP

 EB
 FB
 PCB



REBATE SETS

TL7A - Rebate set


To suit Tubular Latches 13mm x 21mm (93mm Long)

TL8A - Super rebate set

To suit Tubular Latches 57mm x 25mm

 EB
 NP






DL5030

Delamain Heavy Sprung Tubular Latch

Dimensions: 76mm

Variations

- DL5025** 64mm
- DL5040** 102mm
- DL5050** 128mm
- ART5005** Rebate Set available



AA45R

Concealed Chain Spring Door Closer

FIRE TEST CERTIFICATE BS476:
PART 22:1987

Dimensions: 45mm (radius forend)



AA45

Concealed Chain Spring Door Closer

FIRE TEST CERTIFICATE BS476:
PART 22:1987

Dimensions: 45mm



DLD5030

Dead Bolt

To suit DL5030

Dimensions: 75mm

Variations

- DLD5040** To suit DL5040
100mm
- DLD5050** To suit DL5050
125mm

ACCESSORIES
NOT TO SCALE



AA46

Easi Keep Latch

FIRE TEST CERTIFICATE BS476:

PART 22:1987

Dimensions: overall size: 63mm x 4mm

